



# CorePro GLASS LED candles and lusters



### CorePro LEDCandleND 2-25W E14B35 827CL G

Featuring a classic heritage design, these filament LED candle combines the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb, a very easy choice for people who are looking for a retrofit LED replacement, the LED candle provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

### **Product data**

General information	
Cap-Base	E14 [ E14]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	2-25W
Flux measurement reference	Sphere
Light technical	
Color Code	827 [ CCT of 2700K]
Luminous Flux (Nom)	250 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	125.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	2 W
Lamp Current (Nom)	20 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	36 ℃
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Clear


Datasheet, 2022, January 13 data subject to change

## CorePro GLASS LED candles and lusters

Bulb Shape	B35 [ B 35mm]
Approval and application	
Energy Efficiency Class	E
Energy Saving Product	Yes
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	2 kWh
EPREL Registration Number	387351
Product data	
Full product code	971951427757900

Order product name	CorePro LEDCandleND 2-25W E14B35 827CL
	G
EAN/UPC - Product	8719514377578
Order code	929001238392
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001238392
Net Weight (Piece)	0.014 kg


# Dimensional drawing




CorePro LEDCandleND 2-25W E14B35 827CL G

# Product D C CorePro LEDCandleND 2-25W E14B35 827CL G 35 mm 97 mm

### Photometric data




LED Lamps, Lightcolour /827 ND CL



Classic LEDCandle ND 2-25W B35 827 CL


### CorePro GLASS LED candles and lusters


### Photometric data



Classic LEDCandle ND 2-25W B35 827 CL

### Lifetime





LEDCandle CLA 4.3-40W E14 B35 Clear 827 ND

LEDCandle CLA 4.3-40W E14 B35 Clear 827 ND



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.