



# CorePro GLASS LED candles and lusters

## CorePro LEDCandle ND6.5-60W B35E14827CLG

Featuring a classic heritage design, these filament LED candle combines the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb, a very easy choice for people who are looking for a retrofit LED replacement, the LED candle provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

### Product data

General information		Operating and electrical	
Cap-Base	E14 [ E14]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	6.5 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	50 mA
Switching Cycle	20000X	Wattage Equivalent	60 W
Flux measurement reference	Sphere	Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.55
		Voltage (Nom)	220-240 V
Light technical		Temperature	
Color Code	827 [ CCT of 2700K]	T-Case Maximum (Nom)	55 °C
Luminous Flux (Nom)	806 lm		
Color Designation	Warm White (WW)	Controls and dimming	
Correlated Color Temperature (Nom)	2700 K	Dimmable	No
Luminous Efficacy (rated) (Nom)	124.00 lm/W	Mechanical and housing	
Color Consistency	<6	Bulb Finish	Clear
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

# CorePro GLASS LED candles and lusters

Bulb Shape	B35 [ B 35mm]
------------	---------------

## Approval and application


Energy Efficiency Class	E
Energy Consumption kWh/1000 h	7 kWh
EPREL Registration Number	387441

## Product data

Full product code	871951434746500
Order product name	CorePro LEDCandle ND6.5-60W B35E14827CLG

EAN/UPC - Product	8719514347465
Order code	929002028092
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002028092
Net Weight (Piece)	0.012 kg


## Dimensional drawing




CorePro LEDCandle ND6.5-60W B35E14827CLG

Product	D	C
CorePro LEDCandle ND6.5-60W B35E14827CLG	35 mm	97 mm

## Photometric data




LEDbulb 6,5-60W E14 B35



LEDbulb 6,5-60W E14 B35

# CorePro GLASS LED candles and lusters


## Photometric data




© 2022 Philips Lighting B.V. Page 10 of 11

### LEDcandle E14 B35 827 CL

## Lifetime



### LEDbulb 6,5-60W E14 B35



### LEDbulb 6,5-60W E14 B35

