

Coralstar T5

FHO24W/Coralstar

0002742



Range Features

- Reproduces light conditions found at coral reefs through actinic blue light
- Promotes the growth of coral and invertebrates by supporting the growth of zooxanthellae
- See coral in its true colour(s)
- T5 - FHO: high output and lumen per watt in comparison to T8 versions
- New 5 l8: 50% more light output in comparison to the same length in T8. Ideal for the new generation of aquaria with T5 lamps, but in the length of T8 lamps. The ideal fit of the lamps in the aquarium results in a perfect illumination of the aquarium
- Applications
- Lighting to promote growth of coral and invertebrates in marine water aquariums



PRODUCT OVERVIEW

Lamp finish	Coated
Lamp shape	Tubular
Dimmable	Yes
EAN code	5410288027425
Cap/Base	G5
Type	CoralStar
Watt (Nominal) (W)	24
Ordering number	0002742
Luminous flux (Rated) (lm)	530
Voltage (V)	75

DATA TABLE

General data

Average life (Nominal) (h)	20000
Control gear required	Yes
Lamp finish	Coated
Lamp shape	Tubular
Dimmable	Yes
EAN code	5410288027425
Fixture rating	Open
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195

Coralstar T5

FHO24W/Coralstar

0002742

Cap/Base	G5
Lamp mercury content (mg)	3.2
Type	CoralStar
Ordering number	0002742
Range features	<p>Reproduces light conditions found at coral reefs through actinic blue light</p> <p>Promotes the growth of coral and invertebrates by supporting the growth of zooxanthellae</p> <p>See coral in its true colour(s)</p> <p>T5 - FHO: high output and lumen per watt in comparison to T8 versions</p> <p>New 5 l8: 50% more light output in comparison to the same length in T8. Ideal for the new generation of aquaria with T5 lamps, but in the length of T8 lamps. The ideal fit of the lamps in the aquarium results in a perfect illumination of the aquarium</p> <p>Applications</p> <p>Lighting to promote growth of coral and invertebrates in marine water aquariums</p>
Product name	FHO24W/Coralstar
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	25

Electrical data

Current (A)	0.3
Watt (Nominal) (W)	24
Watt (Rated) (W)	24
Voltage (V)	75

Physical data

Max. Lamp Diameter (mm) - D	16
Lamp Length (mm) - C/L	563.2
Length base to base (mm) - A	549
Length base to pin Min-Max - B	553.7-556.1
Single packaging type	Box/Sleeve
Weight (kg)	0.04
Outer package dimensions (L x W x H) (cm)	57.80 x 10.50 x 10.50
Single package dimensions (L x W x H) (cm)	56.40 x 1.90 x 1.90

Optical data



Luminous flux (Rated) (lm)	530
-----------------------------------	-----

Coralstar T5

FHO24W/Coralstar

0002742

PHOTOMETRY



TECHNICAL DRAWINGS

