

64340

6.6 A Current Controlled Halogen - Double End Lamps for Series Operation | Double end 6.6 A current controlled lamps designed specifically for airfield fixtures



Areas of application

- Airfield Lighting

Product family benefits

- Reduced operation and maintenance costs due to long lifetime
- Instant and constant light output over the lamp life
- Flicker-free operation
- Mercury-free

Product family features

- Dimmable
- Infrared radiation output that provides light in the worst of conditions





Product datasheet

Technical data

General Product Information

Global order reference	64340 100W 6.6A	
LIF code	J1/82	

Electrical Data

Nominal wattage	100 W
Nominal current	6.60 A

Photometric Data

Nominal luminous flux	2170 lm	
Color temperature	2900 K	

Physical Attributes & Dimensions

Lamp base	R7s-15	
Diameter	51.0 mm	
Length	65.6 mm	
Length with base excl. base pins/connection	65.00 mm	
Product weight	6.00 g	

Operating Conditions

Burning position	Horizontal

Lifetime Data

Nominal lifetime	1000 hr

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Primary article identifier 4050300017266			
Date of declaration	26-06-2024		
Declaration no. in SCIP database	In work		
Candidate list substance 1	No declarable substances contained		

Product datasheet

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300209098	64340		- x - x -	4.21 dm³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.