
HMI 12000W/SE/XS 1/CS 1/SKU



Product datasheet

Technical data


Electrical data

Nominal voltage	160 V
Nominal current	84.00 A
Lamp voltage	160 V
Nominal wattage	12000.00 W

Photometrical data

Nominal luminous flux	1150000 lm
Color temperature	6000 K
Color rendering index Ra	90

Dimensions & weight



Diameter	100.0 mm
Length	455.0 mm
Light center length (LCL)	255.0 mm

Lifespan

Lifespan	500 h
----------	-------

Additional product data

Base (standard designation)	GX38
-----------------------------	------

Capabilities

Burning position	Other
------------------	-------


Certificates & standards

EEL – Energy Label	B
--------------------	---

Product datasheet

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-01-2023
Primary Article Identifier	4050300650418 4008321128157
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	F7E3F861-5DA1-4D96-B2D1-F709C6EBFE08



Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54113	4050300650418	Shipping box (Case)	1	12.7 in x 23.4 in x 9.4 in	6.4 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.