

# 64354

6.6 A Current Controlled Halogen - Single End Lamps for Series Operation | Single end 6.6 A current controlled lamps designed specifically for airfield fixtures



### Areas of application

- Airfield Lighting

# Product family benefits

- Reduced operation and maintenance costs due to long lifetime
- Instant and constant light output over the lamp life
- Flicker-free operation
- Mercury-free

### Product family features

- Dimmable
- Infrared radiation output that provides light in the worst of conditions





# Product datasheet

#### Technical data

# **General Product Information**

Global order reference	64354 EWR 150W		
Product number (Americas)	58855		
Product name (Americas)	6.6A150T4Q64354EWRDL 12/CS 1/SKU		
General description	150 WATT, TUNGSTEN HALOGEN, CURRENT CONTROLLED, SINGLED-END, BI-PIN, ,AIRFIELD		
ANSI code	EWR		

# **Electrical Data**

Nominal wattage	150 W
Nominal current	6.60 A
Type of current	AC

### **Photometric Data**

Nominal luminous flux	4000 lm	
Color temperature	3100 K	
Light center length (LCL)	39.1 mm	
Light center length (LCL) - (in)	1.54 in	

# **Physical Attributes & Dimensions**

Lamp base	GY9.5
Diameter (in)	0.531 in
Diameter	13.5 mm
Length	65.0 mm
Product weight	11.92 g

# **Operating Conditions**

Burning position	s90
------------------	-----

# Lifetime Data

Nominal lifetime	1500 hr

# **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Primary article identifier 4008321100207				
Date of declaration	26-06-2024			
Declaration no. in SCIP database In work				

# Product datasheet

### Product datasheet

#### Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321100214	64354		- x - x -	3.20 dm <sup>3</sup>	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.